

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31



Revision: 01.02.2024
Version number 7 (replaces version 6)

Page 1 of 8
Printing date: 05.02.2024

Gypsum Gloss

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: Gypsum Gloss

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Life cycle stages: PW Widespread use by professional workers
Sector of Use: SU20 Health services
Product category: PC24 Lubricants, greases, release products
Technical function: Plating agent
Application of the substance / the mixture: Impregnation for gypsum models

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: ERNST HINRICHS Dental GmbH
Street / mailbox: Borsigstr. 1
Country code. / postal code / city: D - 38644 Goslar
Phone: 0 53 21 / 5 06 24
Fax: 0 53 21 / 5 08 81
E-mail / Website: info@hinrichs-dental.de / www.hinrichs-dental.de
Further information obtainable from: ERNST HINRICHS Dental GmbH

1.4 Emergency telephone number

ERNST HINRICHS Dental GmbH: +49 (0) 53 21 / 5 06 24 (Mon-Fri. 8 a.m. – 4 p.m.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning.

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information: Safety data sheet available on request.

2.3 Other hazards.




Results of PBT and vPvB assessment: PBT: Not applicable.
vPvB: Not applicable.



Gypsum Gloss

SECTION 3: Composition/information on ingredients

3.1 Chemical characterization:	Mixtures.
Description:	Mixture of substances listed below with non-hazardous additions.

3.2 Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 RTECS: NT 8050000 Reg.nr.: 01-2119457558-25	propan-2-ol  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336	2.5-10 %
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate  Eye Irrit. 2, H319	≤2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures:	
After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	Immediately rinse with water. If skin irritation continues, consult a doctor.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:	Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
4.2 Most important symptoms and effects, both acute and delayed:	No further relevant information available.
4.3 Indication of any immediate medical attention and special treatment needed:	No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media	
Suitable extinguishing agents:	CO ₂ , powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
5.2 Special hazards arising from the substance or mixture:	No further relevant information available.
5.3 Advice for firefighters:	
Protective equipment:	No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Not required.
---	---------------

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31

1.0000000000000000



Page 3 of 8

Printing date: 05.02.2024

Revision: 01.02.2024

Version number 7 (replaces version 6)

Gypsum Gloss

- 6.2 Environmental precautions:** Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections:** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling:** Keep receptacles tightly sealed.
- Information about fire - and explosion protection:** No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities: Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- Information about storage in one common storage facility:** Not required.
- Further information about storage conditions:** Store in upright position.
Keep container tightly sealed.
- 7.3 Specific end use(s):** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:	
67-63-0 propan-2-ol	
WEL	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls: No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Protection of hands:



Protective gloves

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31



Revision: 01.02.2024
Version number 7 (replaces version 6)

Page 4 of 8
Printing date: 05.02.2024

Gypsum Gloss

Material of gloves:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

For the permanent contact gloves made of the following materials are suitable:

Neoprene gloves

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR.
Natural rubber, NR

Eye protection:



Tightly sealed goggles.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state:	Fluid
Colour:	Light yellow
Odour:	Fruit-like
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range:	82 °C
Flammability:	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	>60 °C
Ignition temperature:	425 °C
Decomposition temperature:	Not determined.
pH at 20 °C:	11.3
Viscosity	
Kinematic viscosity:	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value):	Not determined.

*

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31

1.00000000



Revision: 01.02.2024
Version number 7 (replaces version 6)

Page 5 of 8
Printing date: 05.02.2024

Gypsum Gloss

Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.98 g/cm ³
Relative density:	Not determined.
Vapour density:	Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

Organic solvents: 4 %

VOC (EC): 4 %

Change in condition:

Evaporation rate: Not determined.

Information with regard to physical hazard classes

Explosives: Void

Flammable gases: Void

Aerosols: Void

Oxidising gases: Void

Gases under pressure: Void

Flammable liquids: Void

Flammable solids: Void

Self-reactive substances and mixtures: Void

Pyrophoric liquids: Void

Pyrophoric solids: Void

Self-heating substances and mixtures: Void

Substances and mixtures, which emit flammable gases in contact with water: Void

Oxidising liquids: Void

Oxidising solids: Void

Organic peroxides: Void

Corrosive to metals: Void

Desensitised explosives: Void

SECTION 10: Stability and reactivity

10.1 Reactivity:	No further relevant information available.
10.2 Chemical stability:	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions:	No dangerous reactions known.
10.4 Conditions to avoid:	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity:	Based on available data, the classification criteria are not met.

*

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31

1.00000000



Revision: 01.02.2024
Version number 7 (replaces version 6)

Page 6 of 8
Printing date: 05.02.2024

Gypsum Gloss

LD/LC50 values relevant for classification:		
67-63-0 propan-2-ol		
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50/4 h	>25 mg/l (rat)

Serious eye damage/irritation: Causes serious eye irritation.
Additional toxicological information:
Sensitisation: Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties: None of the ingredients is listed.

SECTION 12: Ecological information *

12.1 Toxicity
Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: Biodegradable.

12.3 Bioaccumulative potential: Does not accumulate in organisms.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment:
PBT: Not applicable.
vPvB: Not applicable.

12.6 Endocrine disrupting properties: The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:
Additional ecological information:
General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations *

13.1 Waste treatment methods - Recommendation: Must not be disposed together with the household garbage. Do not allow product to reach sewage system.

Uncleaned packaging – Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31

1.00000000



Page 7 of 8

Printing date: 05.02.2024

Revision: 01.02.2024

Version number 7 (replaces version 6)

Gypsum Gloss

SECTION 14: Transport information

14.1 UN-Number:	-
14.2 UN proper shipping name ADR:	-
14.3 Transport hazard class(es):	-
14.4 Packing group:	-
14.5 Environmental hazards: Marine pollutant:	No
14.7 Maritime transport in bulk according to IMO instruments:	Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008:	GHS label elements The product is classified and labelled according to the GB CLP regulation.
--	---

Hazard pictograms:



GHS07

Signal word: Warning.

Hazard statements:
H319 Causes serious eye irritation.

Precautionary statements:
P280 Wear eye protection / face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

**Directive 2012/18/EU
Named dangerous substances - ANNEX I:** None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant R-phrases:
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Recommended restriction of use: Product only for professional use

EU – Safety Data Sheet

According to 1907/2006/EG, Article 31

1.00000000



Revision: 01.02.2024

Version number 7 (replaces version 6)

Page 8 of 8

Printing date: 05.02.2024

Gypsum Gloss

Abbreviations and acronyms:

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
RID:	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail).
IATA-DGR:	Dangerous Goods Regulations by the "International Air Transport Association".
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization".
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals.
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
VOC:	Volatile Organic Compounds (USA, EU)
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent
PBT:	Persistent, Bioaccumulative and Toxic
vPvB:	very Persistent and very Bioaccumulative
Flam. Liq. 2:	Flammable liquids, Hazard Category 2
Eye Irrit. 2:	Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3:	Specific target organ toxicity - Single exposure, Hazard Category 3

* Data compared to the previous version altered.