Telefax: 00800 48 37 43 40

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ILS Instrument Lubricant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Instrument care product

Uses advised against

There is no information available on applications that are not advised.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Hu-Friedy Mfg. Co., LLC Street: 3232 N. Rockwell St. Place: Chicago, IL 60618

Supplier

Company name: Hu-Friedy Mfg. Co., LLC.

Zweigniederlassung Deutschland

Street: Kleines Öschle 8
Place: D-78532 Tuttlingen
Telephone: 00800 48 37 43 39

e-mail: info@hu-friedy.eu Internet: www.hu-friedy.eu

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: NATIONAL: In England and Wales: 111, In Scotland: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

White mineral oil (petroleum), Viscosity < 7 mm2/s at 40°C

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

according to Regulation (EC) No 1907/2006

	ILS Instrument Lubricant	
Revision date: 29.09.2017	Product code: 00379-0003	Page 2 of 7

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international/

regulations.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Instrument care spray

Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
8042-47-5	White mineral oil (petroleum), Viscosity < 7 mm2/s at 40°C			10 - 30 %
	232-455-8		01-2119487078-27	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

In case of inhalation of aerosol/mist consult a physician if necessary. Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

After contact with skin

Wash off with soap and plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

After ingestion

Drink plenty of water. Consult a physician. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation. Prolonged skin contact may cause skin irritation and/or dermatitis. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray. Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 3 of 7

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Remove persons to safety.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with eyes, skin or mucous membrane. Do not breathe aerosol

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a dry, well-ventilated place.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls







Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 4 of 7

Protective and hygiene measures

Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothes before re-use.

Eye/face protection

Safety goggles with side protection (EN 166).

Hand protection

Protective gloves (EN 374) Recommended material [type, thickness, permeation time]: butyl rubber, 0,7 mm, protective index 6, corresponding to 480 minutes of permeation time according to EN 374.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: Milky
Odour: Mild

pH-Value: 6,3

Changes in the physical state

Flash point: > 93,3 °C
Lower explosion limits: n.d.

одровой инио

Upper explosion limits:

Ignition temperature: n.d.

Density (at 20 °C): 0,97 g/cm³

Water solubility: Miscible

(at 20 °C)

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Oxidizing agents (strong).

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 5 of 7

Further information

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (inhalative vapour) 16,67 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
8042-47-5	White mineral oil (petroleum), Viscosity < 7 mm2/s at 40°C				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rabbit		
	inhalative (4 h) vapour	LC50 > 5 mg/l	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. (White mineral oil (petroleum), Viscosity < 7 mm2/s at 40°C)

Practical experience

Other observations

Contact with eyes may cause irritation. Prolonged skin contact may cause skin irritation and/or dermatitis. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
8042-47-5	White mineral oil (petroleum), Viscosity < 7 mm2/s at 40°C						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Leuciscus idus		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
	Algea toxicity	NOEC mg/l	> 100		Pseudokirchneriela subcapitata		

12.2. Persistence and degradability

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 6 of 7

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

Further information

Do not flush into surface water or sanitary sewer system.

Low hazard to waters.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken

for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

<u>14.3. Transport hazard class(es):</u> No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

ILS Instrument Lubricant

Revision date: 29.09.2017 Product code: 00379-0003 Page 7 of 7

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

Other applicable information

Not applicable. No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Update 2017

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

(Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)