

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name	:	INCIDIN ALCOHOL WIPE
Product code	:	117316E
Use of the Substance/Mixture	:	Surface Disinfectant
Substance type:	:	Mixture
		For professional users only.
Product dilution information	:	No dilution information provided.
1.2 Relevant identified uses of the substance or mixture and uses advised against		

Identified uses	:	Surface disinfectant. Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company	 Ecolab Ltd. PO Box 11; Winnington Avenue Northwich, Cheshire, United Kingdom CW8 4DX + 44 (0)1606 74488 ccs@ecolab.com
---------	--

1.4 Emergency telephone number

Emergency telephone	:	+441618841235
number		+32-(0)3-575-5555 Trans-European

Date of Compilation/Revision	:	02.04.2021
Version	:	1.7

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226
Eye irritation, Category 2	H319
Specific target organ toxicity - single exposure, Category 3,	H336
Central Nervous System	

The classification of this product is based on toxicological assessment.

2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	EC) No 1272/2008)	!
Signal Word	: Warning	
Hazard Statements	: H226 H319 H336	Flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary Statements	: Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hazardous components which must be listed on the label: Isopropyl Alcohol propan-1-ol

2.3 Other hazards

None known. Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

67-63-0 200-661-7 01-2119457558-25 71-23-8	Flammable liquids Category 2; H225 Eye irritation Category 2; H319 Specific target organ toxicity - single exposure Category 3; H336	>= 30 - < 50
71-23-8		
200-746-9 01-2119486761-29	Flammable liquids Category 2; H225 Serious eye damage Category 1; H318 Specific target organ toxicity - single exposure Category 3; H336	>= 25 - < 30
e exposure limit :		
57-55-6 200-338-0 01-2119456809-23		>= 1 - < 2.5
	in this Section, see Section 16.	
D t	57-55-6 200-338-0 01-2119456809-23 rements mentioned	57-55-6 200-338-0

4.1 Description of first aid measures

- In case of eye contact : Rinse imme at least 15 n
- : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment	: Treat symptomatically

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing me	lia : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
5.2 Special hazards arising f	rom the substance or mixture
Specific hazards during firefighting	 Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	 Depending on combustion properties, decomposition products may include following materials: Carbon oxides
5.3 Advice for firefighters	
Special protective equipme for firefighters	ent : Use personal protective equipment.
Further information	: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	: Avoid contact with skin and eyes. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after

7.2 Conditions for safe storage, including any incompatibilities

handling.

Requirements for storage areas and containers	:	Keep away from heat and sources of ignition. Keep in a cool, well- ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 25 °C

7.3 Specific end uses

Specific use(s)	:	Surface disinfectant. Manual process
-----------------	---	--------------------------------------

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-N	0.	Value type (Form of exposure)	Control parameters	Basis
Isopropyl Alcohol	67-63-0)	TWA	400 ppm 999 mg/m3	UKCOSSTD
			STEL	500 ppm 1,250 mg/m3	UKCOSSTD
propan-1-ol	71-23-8		STEL	250 ppm 625 mg/m3	UKCOSSTD
Further information	Sk			e skin. The assigned substances at dermal absorption will lead to	
			TWA	200 ppm 500 mg/m3	UKCOSSTD
Further information				e skin. The assigned substances at dermal absorption will lead to	
Propylene glycol	57-55-6	6	TWA (particles)	10 mg/m3	UKCOSSTD
			TWA (Total vapour and particles)	150 ppm 474 mg/m3	UKCOSSTD

DNEL

Isopropyl Alcohol	:	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 888 mg/cm2		
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3		
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 319 mg/cm2		
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3		
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 26 ppm		
Propylene glycol	:			

PNEC

PNEC		-
Isopropyl Alcohol	:	Fresh water
		Value: 140.9 mg/l
		Marine water
		Value: 140.9 mg/l
		Intermittent use/release
		Value: 140.9 mg/l
		Fresh water
		Value: 552 mg/kg

		Marine sediment Value: 552 mg/kg
		Soil Value: 28 mg/kg
		Sewage treatment plant Value: 2251 mg/l
		Oral Value: 160 mg/kg
Propylene glycol	:	

8.2 Exposure controls

Appropriate engineering cor	ntro	bls	
Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.	
Individual protection measu	res	;	
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.	
Eye/face protection (EN 166)	:	No special protective equipment required.	
Hand protection (EN 374)	:	No special protective equipment required.	
Skin and body protection (EN 14605)	:	No special protective equipment required.	
Respiratory protection (EN 143, 14387)	:	When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type:A-P	
Environmental exposure controls			
General advice	:	Consider the provision of containment around storage vessels.	

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: absorbed liquid (wipes, pads,)
Colour	: colourless
Odour	: alcohol-like
рН	: 8.3, 100 %
Flash point	: 25 °C closed cup

Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture
Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 0.89
Water solubility	: soluble
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Solubility in other solvents Partition coefficient: n- octanol/water	Not applicable and/or not determined for the mixtureNot applicable and/or not determined for the mixture
Partition coefficient: n-	
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water Auto-ignition temperature	Not applicable and/or not determined for the mixtureNot applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water Auto-ignition temperature Thermal decomposition	 Not applicable and/or not determined for the mixture Not applicable and/or not determined for the mixture Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water Auto-ignition temperature Thermal decomposition Viscosity, kinematic	 Not applicable and/or not determined for the mixture

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials:

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Product

Acute oral toxicity	:	There is no data available for this product.
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	Eye irritationThe classification of this product is based on toxicological assessment.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.
STOT - repeated exposure	:	There is no data available for this product.
Aspiration toxicity	:	There is no data available for this product.
Components		
Acute oral toxicity	:	Isopropyl Alcohol LD50 rat: 5,840 mg/kg
		propan-1-ol LD50 : 1,870 mg/kg
		Propylene glycol LD50 rat: 22,000 mg/kg
Components		
Acute inhalation toxicity	:	lsopropyl Alcohol 4 h LC50 rat: > 30 mg/l Test atmosphere: vapour
		propan-1-ol 4 h LC50 : 26.76 mg/l Test atmosphere: dust/mist
		Propylene glycol 4 h LC50 rabbit: 158.5 mg/l Test atmosphere: dust/mist

Components		
Acute dermal toxicity	Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg	
	propan-1-ol LD50 : 4,032 mg/kg	
Potential Health Effects		
Eyes	Causes serious eye irritation.	
Skin	Health injuries are not known or expected under normal use	э.
Ingestion	Health injuries are not known or expected under normal use	э.
Inhalation	Inhalation may cause central nervous system effects.	
Chronic Exposure	Health injuries are not known or expected under normal use	э.
Experience with human exp	ure	
Eye contact	Redness, Pain, Irritation	
Skin contact	No symptoms known or expected.	
Ingestion	No symptoms known or expected.	
Inhalation	Dizziness, Drowsiness	

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental Effects	:	This product has no known ecotoxicological effects.		
Product				
Toxicity to fish	:	no data available		
Toxicity to daphnia and other aquatic invertebrates	:	no data available		
Toxicity to algae	:	no data available		
Components				
Toxicity to fish	:	Isopropyl Alcohol96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l		
		propan-1-ol96 h EC50: 3,800 mg/l		
		Propylene glycol96 h LC50 Fish: > 10,000 mg/l		
Components				
Toxicity to daphnia and other aquatic invertebrates	:	Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l		
		propan-1-ol48 h LC50: 1,000 mg/l		
		Propylene glycol48 h EC50 Aquatic Invertebrate: 18,340 mg/l		

Components Toxicity to algae	: propan-1-ol48 h EC50: 9,170 mg/l						
12.2 Persistence and degradability							
Product							
no data available							
Components							
Biodegradability	: Isopropyl AlcoholResult: Readily biodegradable.						
	propan-1-olResult: Readily biodegradable.						
	Propylene glycolResult: Readily biodegradable.						
12.3 Bioaccumulative potential							
no data available							
12.4 Mobility in soil							
no data available							
12.5 Results of PBT and vPvB as	ssessment						
Product							
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.						
12.6 Other adverse offects							

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product	Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Contaminated packaging	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It

is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID) 14.1 UN number 14.2 UN proper shipping name	: 3175 : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	-
Air transport (IATA) 14.1 UN number 14.2 UN proper shipping name	: 3175: Solids containing flammable liquid, n.o.s.(Isopropanol, Propanol)
14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user	: 4.1 : II : No : None
Sea transport (IMDG/IMO) 14.1 UN number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol, Propanol) 4.1 II No None Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSeveso III: Directive:2012/18/EU of the EuropeanFLAMMABLE LIQUIDS P5cParliament and of the CouncilUpper tier : 5,000 t

on the control of majoraccident hazards involving dangerous substances.

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations	:	The Chemicals (Hazard Information and Packaging for Supply) Regulations. The Control of Substances Hazardous to Health Regulations. Health and Safety at Work Act.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

	Classification	Justification
ſ	Flammable liquids 3, H226	Based on product data or assessment
ſ	Eye irritation 2, H319	Based on product data or assessment
	Specific target organ toxicity - single exposure 3. H336	Calculation method

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS

 Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Surface disinfectant. Manual process

Life Cycle Stage	:	Widespread use by professional workers			
Product category	:	PC35	Washing and cleaning products (including solvent based products)		

Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems
Daily amount per site	:	7.5 kg	
Type of Sewage Treatment Plant	:	Municipal s	ewage treatment plant

Contributing scenario controlling worker exposure for:

Process category	:	PROC10	Roller application or brushing
Exposure duration	:	480 min	
Operational conditions and risk management measures	:	Indoor	

Local Exhaust Ventilation is not required

General ventilation		Ventilation	Ventilation rate per hour 1				
Skin Protection	:	see section	8				
Respiratory Protection	:	see section	8				
Contributing scenario contro	ollii	ng worker ex	kposure for:				
Process category	:	PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non- dedicated facilities					
Exposure duration	:	60 min	50 min				
Operational conditions and risk management measures	:	Indoor	Indoor				
		Local Exhaust Ventilation is not required					
General ventilation		Ventilation rate per hour 1					
Skin Protection	:	see section 8					
Respiratory Protection	:	see section	see section 8				