

Page 1/9

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.12.2020

Version number 1

Revision: 17.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Becht4care®

Description / Product Code: Ready to use gel for hygienic and surgical disinfection of hands and skin

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.Application of the substance / the mixture: Disinfectant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfred Becht GmbH Carl-Zeiss-Strasse 16 77656 Offenburg Germany Tel:0781 60586-0 Fax:0781 60586-40 E-Mail:info@becht-online.de **1.4 Emergency telephone number:**



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB

Printing date 17.12.	2020 Version number 1	Revision: 17.12.2020
Trade name: Becht4	care®	
		(Contd. of page 1)
Hazard pictogra	ms:	
GHS02 GHS07		
Signal word: Da	ıger	
Hazard statemer	its:	
H225 Highly flan	mable liquid and vapour.	
H319 Causes seri		
Precautionary st	atements	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames smoking.	s and other ignition sources. No
P233	Keep container tightly closed.	
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several m present and easy to do. Continue rinsing.	inutes. Remove contact lenses, if
2.3 Other hazard		
	nd vPvB assessment	
PBT: Not applica		
vPvB: Not applic		

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 830/2015:		
CAS: 64-17-5	ethanol	70%
EINECS: 200-578-6	🕐 Flam. Liq. 2, H225; 🗘 Eye Irrit. 2, H319	
Index number: 603-002-00-5		
CAS: 67-63-0	propan-2-ol	2%
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
Additional information: Fo	r the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

Supply fresh air and to be sure call for a doctor.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: In case of skin irritation, consult a physician.

(Contd. on page 3) GB –

Printing date 17.12.2020

Version number 1

Revision: 17.12.2020

Trade name: Becht4care®

(Contd. of page 2)

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Nausea

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Alcohol resistant foam

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water

5.2 Special hazards arising from the substance or mixture

Carbon dioxide (CO2)

Carbon monoxide (CO)

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit. Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material

6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A. **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel). Send for recovery or disposal in suitable receptacles.

Warm water and cleansing agent

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

(Contd. on page 4)

Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.12.2020

Version number 1

Revision: 17.12.2020

	(Contd. of page 3
Open and handle receptacle with care.	
Information about fire - and explosion protection:	
Keep ignition sources away - Do not smoke.	
Prevent impact and friction.	
Protect from heat.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage: Store in cool, dry conditions in well sealed receptacles.	
Requirements to be met by storerooms and receptacles: Store in a cool location.	
Information about storage in one common storage facility: Do not store together with oxidising and acidic materials.	
Further information about storage conditions:	
Store receptacle in a well ventilated area.	
Store in cool, dry conditions in well sealed receptacles.	
7.3 Specific end use (s) No further relevant information available.	
SECTION 8: Exposure controls/personal protection	
8.1 Control parameters	
Ingredients with limit values that require monitoring at the workplace:	
CAS: 64-17-5 ethanol	
WEL (Great Britain) Long-term value: 1920 mg/m ³ , 1000 ppm	
CAS: 67-63-0 propan-2-ol	
WEL (Great Britain) Short-term value: 1250 mg/m ³ , 500 ppm	
Long-term value: 999 mg/m ³ , 400 ppm	
8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Avoid contact with the eyes.	
Respiratory protection: Not necessary if room is well-ventilated.	
The necessary in room is went ventilated.	
Use suitable respiratory protective device in case of insufficient ventilation.	
Protection of hands: Not required under normal conditions of use.	
Eye protection:	
Tightly sealed goggles (EN 166).	
	(Contd. on page 5

nting date 17.12.2020	Version number 1	Revision: 17.12.2
nde name: Becht4care®		
Dedre unstaction.		(Contd. of page
Body protection:		
Protective work clothing		
SECTION 9: Physical and chemical	properties	
9.1 Information on basic physical an General Information	d chemical properties	
Appearance: Form:	Liquid	
Colour:	Colourless	
Odour:	Aromatic	
Odour threshold:	Not determined	
pH value at 20 °C: Initial boiling point and boiling rang	5.5-7 e: 80 °C	
Flash point:	21 °C	
Flammability (solid, gas):	Not applicable	
Auto-ignition temperature:	363 °C	
Decomposition temperature:	Not determined	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, mixtures are possible.	formation of explosive air/vapo
Explosion limits:		
Lower:	Not determined	
Upper: Oxidising properties	Not determined Not oxidising	
Vapour pressure at 20 °C:	5.95 kPa	
Density:	Not determined	
Relative density at 20 °C	0.80 g/cm^3	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Fully miscible	
ethanol	Fully miscible	
Partition coefficient: n-octanol/water	r: Not determined	
Viscosity:		
Dynamic:	Not determined Not determined	
Kinematic:		

Printing date 17.12.2020	Version number 1	Revision: 17.12.2020
Trade name: Becht4care®		
		(Contd. of page 5)
Solvent content:		
VOC (EC)	72.25 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products

Carbon monoxide

Carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >3450 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

Specific symptoms in biological assay:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met. **Additional toxicological information:**

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity Aquatic toxicity: Acute toxicity to fish LC50-11200 mg/l LC50 -11000 mg/l, 96 h exp.

(Contd. on page 7)

Printing date 17.12.2020

Version number 1

Revision: 17.12.2020

Trade name: Becht4care®

(Contd. of page 6)

LC50- 8140 mg/l 48 h exp. 24h, EC50-10800 mg/l Acute toxicity to Daphnia Magna 48h, EC50- 9268-14221 mg/l 96h, EC50- 7750 mg/l EC50-9310 mg/l **12.2 Persistence and degradability** Biodegradable 45% (5 days) **12.3 Bioaccumulative potential** log Pow <3 **12.4 Mobility in soil** No further relevant information available. **12.5 Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging: Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on
14.1 UN-Number ADR, IMDG, IATA	UN1987
14.2 UN proper shipping name	
ADR	1987 ALCOHOLS, N.O.S. (ETHANOL (ETHYL
	ALCOHOL))
IMDG	ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))
IATA	ALCOHOLS, N.O.S. (ETHANOL)
	(Contd. on page 8)

GB -

rinting date 17.12.2020	Version number 1	Revision: 17.12.202
rade name: Becht4care®		
		(Contd. of page
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group ADR, IMDG, IATA	II	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user EMS Number:	Warning: Flammable liquids. F-E,S-D	
14.7 Transport in bulk according to An Marpol and the IBC Code	nnex II of Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner p Maximum net quantity per outer p	backaging: 30 ml
UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (E ALCOHOL)), 3, II	THANOL (ETHYL

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Regulation (EC) No.648/2004 on detergents, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

Printing date 17.12.2020

Version number 1

Revision: 17.12.2020

Trade name: Becht4care®

(Contd. of page 8)

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

GB