

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**
**1.1 Product identifier**

**Cyano Fast**  
**Article number: 152261**  
**UFI: 0GQK-2ESQ-400F-YY84**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**
**1.2.1 Relevant uses**

Adhesive

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Hager & Werken GmbH & Co. KG  
 Ackerstr. 1  
 47269 Duisburg / GERMANY  
 Phone +49(0)203-99269-0  
 Fax +49 (0)203 29 92 83  
 Homepage [www.hagerwerken.de](http://www.hagerwerken.de)  
 E-mail [info@hagerwerken.de](mailto:info@hagerwerken.de)

**Address enquiries to**

**Technical information** [info@hagerwerken.de](mailto:info@hagerwerken.de)

**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

**1.4 Emergency telephone number**

**Advisory body** +49 (0) 551-19240 Giftinformationszentrum-Nord

**SECTION 2: Hazards identification**
**2.1 Classification of the substance or mixture [REGULATION (GB) CLP]**

STOT SE 3: H335 May cause respiratory irritation.  
 Eye Irrit. 2: H319 Causes serious eye irritation.  
 Skin Irrit. 2: H315 Causes skin irritation.

**2.2 Label elements**

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms**


**Signal word** WARNING

**Contains:** Ethyl-2-cyanoacrylate

**Hazard statements** H335 May cause respiratory irritation.  
 H319 Causes serious eye irritation.  
 H315 Causes skin irritation.

**Precautionary statements** P261 Avoid breathing vapours.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves / eye protection.  
 P312 Call a POISON CENTER / doctor if you feel unwell.  
 P501 Dispose of contents/container in accordance with local/national regulation.

**Special labelling** EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

### 2.3 Other hazards

<b>Environmental hazards</b>	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
<b>Other hazards</b>	Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - <100	Ethyl-2-cyanoacrylate CAS: 7085-85-0 GHS/CLP: STOT SE 3: H335 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315 SCL [%]: >=10: STOT SE 3: H335
10 - <20	2-Propenoic acid, 2-methyl-, methyl ester, polymer with methyl 2-propenoate CAS: 9011-87-4 GHS/CLP: Eye Irrit. 2: H319 - Skin Irrit. 2: H315 - STOT SE 3: H335
0,025 - <0,1	1,4-Dihydroxybenzene CAS: 123-31-9 GHS/CLP: Carc. 2: H351 - Muta. 2: H341 - Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M-Factor (acute): 10

<b>Comment on component parts</b>	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
-----------------------------------	---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Remove contaminated soaked clothing immediately and dispose of safely.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.
<b>Ingestion</b>	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Carbon dioxide. Water spray jet. Dry powder. Foam.
<b>Extinguishing media that must not be used</b>	Full water jet.

## 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Nitrogen oxides (NOx), carbon monoxide (CO).

## 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Do not inhale explosion and/or combustion gases.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Take up residues with absorbent material (e.g. sand, sawdust, general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Keep away from all sources of ignition - Refrain from smoking.  
Remove soiled or soaked clothing immediately.  
Clean skin thoroughly after work, apply skin cream.  
Use barrier skin cream.  
Do not eat, drink, smoke or take drugs at work.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original tightly closed container.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Keep container in a well-ventilated place.  
Keep in a cool place. Store in a dry place.  
Protect from heat/overheating and from sun.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethyl-2-cyanoacrylate
CAS: 7085-85-0
Short-term exposure (15-minute): 0,3 ppm, 1,5 mg/m <sup>3</sup>
1,4-Dihydroxybenzene
CAS: 123-31-9
Long-term exposure: 0,5 mg/m <sup>3</sup>

#### DNEL

Substance
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
Industrial, inhalative, Long-term - local effects, 9,25 mg/m <sup>3</sup>
Industrial, inhalative, Acute - systemic effects, 9,25 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - systemic effects, 9,25 mg/m <sup>3</sup>
general population, inhalative, Acute - systemic effects, 9,25 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 9,25 mg/m <sup>3</sup>

#### PNEC

Substance
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
There are no PNEC values established for the substance.

### 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	0,45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Avoid contact with eyes and skin. Do not inhale vapours. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	not determined

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	colourless
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	60
Flash point [°C]	87
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	0,03
Density [g/cm <sup>3</sup> ]	1,05
Relative density	not determined
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	reacts with water
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	not determined
Kinematic viscosity	not determined
Relative vapour density	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Auto-ignition temperature	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.  
 Polymerisation with evolution of heat.  
 Reactions with alcohols, amines, aqueous acids and alkalies.

### 10.4 Conditions to avoid

Strong heating.

**10.5 Incompatible materials**

See SECTION 10.3.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute oral toxicity** not determined

Substance
1,4-Dihydroxybenzene, CAS: 123-31-9
LD50, oral, Rat, 375 mg/kg
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
LD50, oral, Rat, > 5000 mg/kg (OECD 401)

**Acute dermal toxicity** not determined

Substance
1,4-Dihydroxybenzene, CAS: 123-31-9
LD50, dermal, Rabbit, 2000 mg/kg
Ethyl-2-cyanoacrylate, CAS: 7085-85-0
LD50, dermal, Rabbit, > 2000 mg/kg (OECD 402)

**Acute inhalational toxicity** not determined**Serious eye damage/irritation** Irritant**Skin corrosion/irritation** Irritant**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Specific target organ toxicity — single exposure** May cause respiratory irritation.**Specific target organ toxicity — repeated exposure** Based on available data, the classification criteria are not met.**Mutagenicity** Does not contain a relevant substance that meets the classification criteria.**Reproduction toxicity** Does not contain a relevant substance that meets the classification criteria.**Carcinogenicity** Does not contain a relevant substance that meets the classification criteria.**Aspiration hazard** Based on available data, the classification criteria are not met.**General remarks**

Toxicological data of complete product are not available.

**SECTION 12: Ecological information****12.1 Toxicity**

Substance
1,4-Dihydroxybenzene, CAS: 123-31-9
LC50, (96h), fish, 638 µg/L
EC50, (72h), Algae, 33 - 330 µg/L
EC50, (48h), Invertebrates, 61 - 134 µg/L

## 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	not determined

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

## 12.7 Other adverse effects

Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with national regulations.

#### Product

Dispose of as hazardous waste.  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

#### Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

## SECTION 14: Transport information

### 14.1 UN number or ID number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

**14.2 UN proper shipping name**

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.4 Packing group**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Maritime transport in bulk according to IMO instruments**

not applicable



## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>TRANSPORT-REGULATIONS</b>	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	Observe employment restrictions for young people.
- VOC (2010/75/CE)	0%

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 EL50 = Median effective loading  
 ELINCS = European List of Notified Chemical Substances  
 EmS = Emergency Schedules  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 IVIS = In vitro irritation score  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 LL50 = Median lethal loading  
 LQ = Limited Quantities  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

### 16.2 Other information

<b>Classification procedure</b>	STOT SE 3: H335 May cause respiratory irritation. (Calculation method) Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method) Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
<b>Modified position</b>	none

Copyright: Chemiebüro®