Printing date 28.07.2016 Version: 2 Revision: 28.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Ena Flow Pit & Fissure Sealant

· Article number: EHFS

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Dental sealing material
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970

- · Further information obtainable from: Dr. Eugenio Miceli
- · 1.4 Emergency telephone number:

Poison Control Center San Martino Hospital (Genoa, Italy) Tel.: +39-010-352808 (available 24 h)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

tetramethylene dimethacrylate

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label). Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labelling:

tetramethylene dimethacrylate

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

(Contd. on page 2)

Printing date 28.07.2016 Version: 2 Revision: 28.07.2016

Trade name: Ena Flow Pit & Fissure Sealant

(Contd. of page 1)

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Liquid based on methacryl acid ester, containing an activator.

· Dangerous components:				
		10-25%		
EINECS: 218-218-1	🗘 Skin Sens. 1B, H317			
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	< 2.5%		
EINECS: 278-355-8	� Repr. 2, H361f; 🔖 Aquatic Chronic 2, H411; 🔱 Skin Sens. 1B, H317			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- · After inhalation

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Water spray

Fire-extinguishing powder

Carbon dioxide

Foam

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Trade name: Ena Flow Pit & Fissure Sealant

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Close container immediately after use and protect product from light incidence.

Storage between 10 °C and 25 °C.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

 $0,1-0,2 \ mm$

Penetration time: 5 min.

- · Eye protection: Goggles recommended during refilling.
- · Body protection:

Protective work clothing.

(Contd. on page 4)

Trade name: Ena Flow Pit & Fissure Sealant

(Contd. of page 3)

(Only when handling large quantities)

SECTION 9: PI	ivsical and	chemical	properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Viscous Colour: Opaque

• Odour: Weak, characteristic• Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:undeterminedBoiling point/Boiling range:251 °CFlash point:101 °C

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapour pressure: Not determined.

Density: Not determined
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

dynamic: Not determined. kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Exothermic polymerization
- 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

Trade name: Ena Flow Pit & Fissure Sealant

(Contd. of page 4)

· 10.5 Incompatible materials:

In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.

 $\cdot \textbf{10.6 Hazardous decomposition products:} \ \textit{No dangerous decomposition products known}$

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

tetramethylene dimethacrylate LD-50 oral > 5000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

· European waste catalogue

07 01 04* other organic solvents, washing liquids and mother liquors

- · Uncleaned packaging:
- $\cdot \textit{Recommendation:} \ \textit{Disposal must be made according to official regulations.}$

GB

Trade name: Ena Flow Pit & Fissure Sealant

(Contd. of page 5)

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	e x II of Not applicable.	
UN ''Model Regulation'':	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Technical instructions (air):

Class	Share in %
III	10-25

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Micerium S.p.a.
- · Contact: Dr. Eugenio Miceli
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 7)

Page 7/7

(Contd. of page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Trade name: Ena Flow Pit & Fissure Sealant

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.