

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: GC Unifast LC Liquid

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84

msds@gceurope.com

Further information obtainable from: Regulatory affairs
1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Flam. Liq. 2 H225 Highly flammable liquid and vapour.


Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

 Labelling according to Regulation (EC) No 1272/2008
 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.
 Hazard pictograms





· Signal word Danger

• Hazard-determining components of labelling: Methyl methacrylate 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-divl bismethacrylate

(Contd. on page 2)

⁻ GB

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

| | (Contd. of page 1) |
|---|---|
| Hazard stater | |
| H225 Highly | flammable liquid and vapour. |
| H315 Causes | skin irritation. |
| H317 May ca | use an allergic skin reaction. |
| | use respiratory irritation. |
| Precautionar | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P303+P361+ | P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ |
| | shower. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Additional in | 0 |
| | ixture consists of component(s) of unknown toxicity. |
| | 6 of components with unknown hazards to the aquatic environment. |
| 2.3 Other haz | |
| | BT and vPvB assessment |
| PBT: Not app | |
| I DI. Noi upp " D. D. Not an | |

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous components: | | |
|----------------------------|---|--------|
| CAS: 80-62-6 | Methyl methacrylate | 50-70% |
| | Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, | |
| Index number: 607-035-00-6 | H335 | |
| CAS: 72869-86-4 | 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane- | 20-25% |
| EINECS: 276-957-5 | 1,16-diyl bismethacrylate | |
| | Skin Sens. 1, H317 | |

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• *After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.*

(Contd. on page 3)

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

(Contd. of page 2)

Trade name: GC Unifast LC Liquid

• After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

· For safety reasons unsuitable extinguishing agents: Water

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing. · 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. - 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

(Contd. on page 4)

GB

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

| Information about fire - and explosion protection: | (Contd. of page 3 |
|--|---|
| Keep ignition sources away - Do not smoke. | |
| Protect against electrostatic charges. | |
| Do not spray onto a naked flame or any incandescent material. | |
| 7.2 Conditions for safe storage, including any incompatibilities | |
| Storage: Requirements to be met by storerooms and receptacles: | |
| Store in a cool location. | |
| Store only in unopened original receptacles. | |
| Information about storage in one common storage facility: Store away from foodstuff Further information about storage conditions: | S. |
| Keep container tightly sealed. | |
| Store in cool, dry conditions in well sealed receptacles. | |
| Protect from heat and direct sunlight. | |
| Store in a cool place. • 7.3 Specific end use(s) No further relevant information available. | |
| | |
| SECTION 8: Exposure controls/personal protection | |
| Additional information about design of technical facilities: No further data; see item | 7. |
| 8.1 Control parameters | |
| Ingredients with limit values that require monitoring at the workplace: | |
| 80-62-6 Methyl methacrylate | |
| WEL () Short-term value: 416 mg/m ³ , 100 ppm | |
| Long-term value: 208 mg/m ³ , 50 ppm | |
| • Additional information: The lists valid during the making were used as basis. | |
| 8.2 Exposure controls | |
| Personal protective equipment: General protective and hygienic measures: | |
| The usual protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. | |
| Avoid contact with the eyes and skin. | |
| Wash hands before breaks and at the end of work. | |
| Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing | |
| Respiratory protection: Suitable respiratory protective device recommended. | |
| Protection of hands: | |
| Ma | |
| | |
| Protective gloves | |
| | |
| • Material of gloves | authou mauka of an ality and |
| • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on f | |
| • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on f varies from manufacturer to manufacturer. As the product is a preparation of several | l substances, the resistance |
| Material of gloves The selection of the suitable gloves does not only depend on the material, but also on f varies from manufacturer to manufacturer. As the product is a preparation of several of the glove material can not be calculated in advance and has therefore to be checked Penetration time of glove material | l substances, the resistance prior to the application. |
| • Material of gloves • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on f varies from manufacturer to manufacturer. As the product is a preparation of several of the glove material can not be calculated in advance and has therefore to be checked • Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the prote | l substances, the resistance prior to the application. |
| Material of gloves The selection of the suitable gloves does not only depend on the material, but also on f varies from manufacturer to manufacturer. As the product is a preparation of several of the glove material can not be calculated in advance and has therefore to be checked Penetration time of glove material | l substances, the resistance prior to the application. |

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

| Eye protection: | | (Contd. of pag |
|---|---|----------------|
| Tightly sealed goggles | | |
| SECTION 9: Physical and ch | emical properties | |
| 9.1 Information on basic physical a General Information | and chemical properties | |
| · Appearance: Form: | Liquid | |
| Colour: | Clear | |
| · Odour: | Characteristic | |
| • Odour threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. 100 °C | |
| · Flash point: | 10 °C | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | Undetermined. | |
| • Decomposition temperature: | Not determined. | |
| · Self-igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapour pressure: | Not determined. | |
| Density at 20 °C: | 0.9 g/cm^3 | |
| · Relative density · Vapour density | Not determined. Not determined. | |
| · vapour aensity · Evaporation rate | Not determined. Not determined. | |
| · Solubility in / Miscibility with | | |
| water: | Insoluble. | |
| · Partition coefficient (n-octanol/wat | er): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| 9.2 Other information | No further relevant information available. | |

(Contd. on page 6)

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

- *Repeated dose toxicity No further relevant information available.*
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) No further relevant information available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

· European waste catalogue

| (Contd. of page 6) |
|--------------------|
|--------------------|

18 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)

18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06* chemicals consisting of or containing dangerous substances

• Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number ADR, IMDG, IATA | UN1247 |
|--|---|
| 14.2 UN proper shipping name ADR | 1247 METHYL METHACRYLATE MONOMER, STABILIZEI |
| IMDG, IATA | mixture METHYL METHACRYLATE MONOMER, STABILIZEI mixture |
| 14.3 Transport hazard class(es) | |
| ADR | |
| | |
| Class | 3 (F1) Flammable liquids. |
| Label | 3 |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | II |
| 14.5 Environmental hazards: Marine pollutant: | No |
| - | |
| 14.6 Special precautions for user Danger code (Kemler): | Warning: Flammable liquids. 339 |
| EMS Number: | <i>F-E,S-D</i> |
| 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code | ex II of Not applicable. |

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

| Transport/Additional information: | (Contd. of page |
|--|---|
| ADR | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| Transport category | 2 |
| Tunnel restriction code | D/E |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities $(\widetilde{E}Q)$ | Code: E2 |
| · · · · · · | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN1247, METHYL METHACRYLATE MONOMEP STABILIZED, mixture, 3, II |

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing MSDS: Regulatory affairs
- · Contact: msds@gceurope.com

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

(Contd. on page 9)

⁻ GB

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Liquid

(Contd. of page 8)

GB

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

,'GC,'

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: GC Unifast LC Powder

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84

msds@gceurope.com

Further information obtainable from: Regulatory affairs
1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation. Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

Dibenzoyl peroxide

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

(Contd. on page 2)

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Powder

(Contd. of page 1)

P261 Avoid breathing mist/vapours/spray.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

 \cdot 2.3 Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:

| CAS: 94-36-0 | Dibenzoyl peroxide | 1-5% |
|----------------------------|---|------|
| EINECS: 202-327-6 | Org. Perox. B, H241; Eye Irrit. 2, H319; Skin Sens. 1, H317 | |
| Index number: 617-008-00-0 | | |

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Rinse out mouth and then drink plenty of water.

Rinse out mouth and then drink plenty of wat If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

- GB

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

(Contd. of page 2)

Trade name: GC Unifast LC Powder

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• 5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

| | nove persons from danger area. id formation of dust. Personal respirator must be worn in dusty atmospheres. |
|------|---|
| | id contact with the eyes and skin. |
| | ar protective clothing. |
| | Environmental precautions: |
| | not allow product to reach sewage system or any water course. |
| Info | orm respective authorities in case of seepage into water course or sewage system not allow to penetrate the ground/soil. |
| | ase of seepage into the ground inform responsible authorities. |
| | Methods and material for containment and cleaning up: |
| | k up mechanically. |
| | vent formation of dust. |
| | pose of the material collected according to regulations. |
| - | Reference to other sections |
| | Section 7 for information on safe handling. |
| | Section 8 for information on personal protection equipment. |
| | Section 13 for disposal information. |
| | 5 1 5 |

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidabledeposit of dust must be regularly removed.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Dust can combine with air to form an explosive mixture.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB -

Printing date 11.10.2014

· pH-value:

· Flash point:

· Change in condition

Melting point/Melting range: Boiling point/Boiling range:

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Powder

| | (Contd. of page 3) |
|---|---|
| · 8.1 Control parameters | |
| · Ingredients with limit values that | require monitoring at the workplace: |
| 94-36-0 Dibenzoyl peroxide | |
| WEL () Long-term value: 5 mg/m ² | 3 |
| Additional information: The lists | valid during the making were used as basis. |
| Do not inhale dust / smoke / mist. Avoid contact with the eyes and sk Wash hands before breaks and at Immediately remove all soiled and | are to be adhered to when handling chemicals. in. the end of work. |
| Protective gloves | |
| varies from manufacturer to manu of the glove material can not be can Penetration time of glove materia . | s does not only depend on the material, but also on further marks of quality and ufacturer. As the product is a preparation of several substances, the resistance ulculated in advance and has therefore to be checked prior to the application. I to be found out by the manufacturer of the protective gloves and has to be |
| Tightly sealed goggles | |
| SECTION 9: Physical and c | hemical properties |
| 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: Odour threshold: | |
| | |

Not applicable.

Undetermined. Undetermined.

Not applicable.

| Printing date 11.10.2014 | Version 1 | Revision: 27.09.2014 |
|---|--|----------------------|
| rade name: GC Unifast LC Powder | | |
| | | (Contd. of page 4) |
| · Flammability (solid, gaseous): | Not determined. | |
| · Ignition temperature: | Undetermined. | |
| · Decomposition temperature: | Not determined. | |
| · Self-igniting: | Product is not selfigniting. | |
| • Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapour pressure: | Not applicable. | |
| · Density at 20 °C: · Relative density · Vapour density · Evaporation rate | 1.2 g/cm ³ Not determined. Not applicable. Not applicable. | |
| • Solubility in / Miscibility with water: | Insoluble. | |
| · Partition coefficient (n-octanol/wa | t ter): Not determined. | |
| Viscosity: Dynamic: Kinematic: 9.2 Other information | Not applicable. Not applicable. No further relevant information available. | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values relevant for classification: No further relevant information available.
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- *Repeated dose toxicity No further relevant information available.*

(Contd. on page 6)

GB

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

(Contd. of page 5)

Trade name: GC Unifast LC Powder

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

· 12.5 Results of PBT and vPvB assessment

• *PBT:* Not applicable.

- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

18 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)

18 01 00 wastes from natal care, diagnosis, treatment or prevention of disease in humans

18 01 06* chemicals consisting of or containing dangerous substances

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN-Number | | |
|-----------------------------------|------|--|
| · ADR, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name | | |
| · ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA | | |
| · Class | Void | |
| · 14.4 Packing group | | |
| · ADR, IMDG, IATA | Void | |

Printing date 11.10.2014

Version 1

Revision: 27.09.2014

Trade name: GC Unifast LC Powder

| | | (Contd. of page |
|---|-----------------|-----------------|
| · 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Transport in bulk according to Ann | ex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| · UN ''Model Regulation'': | - | |

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H241 Heating may cause a fire or explosion.H317 May cause an allergic skin reaction.H319 Causes serious eye irritation.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing MSDS: Regulatory affairs
- · Contact: msds@gceurope.com
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Good IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Org. Perox. B: Organic Peroxides, Type B
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• * Data compared to the previous version altered.

This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.