

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

DMG Etching Gel

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Uses advised against**

pregnant or breastfeeding people should not work with hazardous substances

**1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Corr. 1B; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

phosphoric acid; orthophosphoric acid 100 %

**Signal word:** Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P280	Wear protective gloves and eye/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

PHOSPHORIC ACID

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 2 of 9

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7664-38-2	phosphoric acid; orthophosphoric acid 100 %			35 - < 40 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B; H290 H302 H314			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-38-2	231-633-2	phosphoric acid; orthophosphoric acid 100 %	35 - < 40 %
	oral: LD50 = 1250 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

**After inhalation**

Provide fresh air. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.  
After contact with skin, wash immediately with: Water and soap.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Non-flammable.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 3 of 9

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.  
Do not allow entering drains or surface water. The product itself does not burn.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear suitable protective clothing.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Ensure adequate ventilation of the storage area.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

**Hints on joint storage**

Do not store together with: Alkalis (alkalis). metal.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 4 of 9

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
7664-38-2	phosphoric acid; orthophosphoric acid 100 %		
Worker DNEL, acute	inhalation	local	2 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	0,73 mg/m <sup>3</sup>

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.: NBR (Nitrile rubber). Butyl rubber.

**Skin protection**

Use of protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.  
exceeding exposure limit values: Filtering device (full mask or mouthpiece) with filter: A

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Jelly	
Colour:	blue	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not determined
Lower explosion limits:		not applicable
Upper explosion limits:		not determined
Flash point:		not applicable
Auto-ignition temperature:		not applicable
Decomposition temperature:		not determined
pH-Value:		1
Water solubility:		easily soluble.
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 5 of 9

Vapour pressure: 20 hPa  
(at 23 °C)  
Density: 1,4 g/cm<sup>3</sup>  
Relative vapour density: < 1

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

The product is not: Explosive.

**Oxidizing properties**

The product is not: oxidising.

**Other safety characteristics**

Evaporation rate: not determined

Solid content: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Possibility of hazardous reactions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

none

**10.5. Incompatible materials**

Alkalis (alkalis).

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

LD50: Rat &gt;810mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 100 %				
	oral	LD50 mg/kg 1250	Rat	supplier SDS	

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

Irritant effect on the eye: Causes burns.

After skin contact: Causes burns.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 6 of 9

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7664-38-2	phosphoric acid; orthophosphoric acid 100 %					
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	SDS	OECD 201
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna (Big water flea)	SDS	OECD 202
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	3 h	Activated sludge	ECHA	

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

The product has not been tested.

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**List of Wastes Code - residues/unused products**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 7 of 9

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID, SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Classification code: C1  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 80  
 Tunnel restriction code: E

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID, SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: 223  
 Limited quantity: 5 L  
 EmS: F-A, S-B

**Other applicable information (marine transport)**

E1

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1805  
**14.2. UN proper shipping name:** PHOSPHORIC ACID, SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8



Special Provisions: A3  
 Limited quantity Passenger: 1 L  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 8 of 9

IATA-packing instructions - Cargo: 856

IATA-max. quantity - Cargo: 60 L

**Other applicable information (air transport)**

E1

: Y841

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): 0,5 % (7 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**DMG Etching Gel**

Revision date: 23.09.2022

Product code: 020223

Page 9 of 9

RID: Regulations concerning the international carriage of dangerous goods by rail

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## TECO

Revision date: 15.04.2021

Product code: 2222

Page 1 of 5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

TECO

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

#### 1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause respiratory irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



##### Hazard statements

H335	May cause respiratory irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.

##### Precautionary statements

P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

chemical characterization (preparation): Acrylate.-resin.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECO**

Revision date: 15.04.2021

Product code: 2222

Page 2 of 5

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1565-94-2	Bis-GMA			15 - 25 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1565-94-2		Bis-GMA	15 - 25 %
	oral: LD50 = 5000 mg/kg		

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Call a physician immediately.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO<sub>2</sub>).**Unsuitable extinguishing media**

High power water jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear suitable protective clothing. Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Take up mechanically.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECO**

Revision date: 15.04.2021

Product code: 2222

Page 3 of 5

**Advice on general occupational hygiene**

When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation of the storage area.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	yellow	
Odour:	like: ester	
Boiling point or initial boiling point and boiling range:		100 °C
Flash point:		> 100 °C
pH-Value (at 20 °C):		4.5 - 7
Solubility in other solvents		
Solubility ca. 50 %		
Vapour pressure:		23 hPa
(at 20 °C)		
Density:		1,1 g/cm <sup>3</sup>
Relative vapour density:		> 1
point of decomposition:		> 200 °C

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

Light. heat.

**10.5. Incompatible materials**

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECO**

Revision date: 15.04.2021

Product code: 2222

Page 4 of 5

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

**Further information**

Substances sensitive to light.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

LD50: Rat 5500mg/kg

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1565-94-2	Bis-GMA					
	oral	LD50 mg/kg	5000	Rat	literature value	

**Irritation and corrosivity**

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye: Frequently or prolonged contact with skin may cause dermal irritation.

**Sensitising effects**

May cause sensitization by skin contact.

**Additional information on tests**

Contains Methacrylates: May produce an allergic reaction. May cause sensitization by skin contact.

**SECTION 12: Ecological information****12.1. Toxicity**

Aquatic toxicity LC50: &gt; 360 mg / l / 48h

**12.2. Persistence and degradability**

Product is partially biodegradable. 50%

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Carry out a burning of hazardous waste according to official regulations.

**List of Wastes Code - residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**TECO**

Revision date: 15.04.2021

Product code: 2222

Page 5 of 5

**SECTION 14: Transport information****Other applicable information**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

**National regulatory information**

Water hazard class (D): - - non-hazardous to water

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Further Information**

-

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 1 of 6

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Vitique Silane\_Activator

Product group:	Endprodukt
CAS No:	64-17-5
Index No:	603-002-00-5
EC No:	200-578-6

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH		
Street:	Elbgaustraße 248		
Place:	D-22547 Hamburg		
Telephone:	+49. (0) 40. 84006-0	Telefax:	+49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com		
Internet:	www.dmg-dental.com		

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 2

Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements:

Highly flammable liquid and vapour.

Causes skin irritation.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Ethanol.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 2 of 6

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64-17-5	ethanol; ethyl alcohol			65 - 75 %
	200-578-6	603-002-00-5		
	Flam. Liq. 2; H225			
7664-38-2	phosphoric acid; orthophosphoric acid ... %			< 5 %
	231-633-2	015-011-00-6		
	Skin Corr. 1B; H314			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol; ethyl alcohol	65 - 75 %
	inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg		
7664-38-2	231-633-2	phosphoric acid; orthophosphoric acid ... %	< 5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap. Change contaminated clothing.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

If swallowed, immediately drink: Water. Medical treatment necessary.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Atomized water. alcohol resistant foam. Carbon dioxide (CO2). Extinguishing powder. Sand.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Keep away from sources of ignition - No smoking.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 3 of 6

The following must be prevented: inhalation. skin contact. Eye contact.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep away from sources of ignition - No smoking. Provide adequate ventilation.

**Advice on general occupational hygiene**

When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep in a cool place.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

**8.2. Exposure controls****Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation. exceeding exposure limit values: Filtering device (full mask or mouthpiece) with filter: A

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:

liquid

Colour:

colourless-transparent

Odour:

characteristic

Boiling point or initial boiling point and boiling range:

ca. 80 °C

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 4 of 6

Flash point: 12 °C  
 pH-Value: ca. 5  
 Water solubility: complete miscible

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

heat.

**10.5. Incompatible materials**

Oxidizing agents. Alkali metals.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 mg/kg	6200	Rat	IUCLID
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS

**Irritation and corrosivity**

In case of prolonged or frequently repeated skin contact: irritant.; Following eye contact: irritant.

**SECTION 12: Ecological information****12.1. Toxicity**

Acute fish toxicity (Leuciscus idus): LC50: &gt; 8140 mg / l / 48 h (Ethanol);

Acute Daphnia toxicity (Daphnia magna): EC50: 9268 - 14221 mg / l / 48 h

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	Acute crustacea toxicity	EC50	9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID
7664-38-2	phosphoric acid; orthophosphoric acid ... %					
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis	

**12.2. Persistence and degradability**

Easily biodegradable (concerning to the criteria of the OECD)

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64-17-5	ethanol; ethyl alcohol				
	Biologische Abbaubarkeit	94 %		OECD 301E	
	leicht biologisch abbaubar				
	Chemischer Sauerstoffbedarf	930-1670 mg/g	5		

**12.3. Bioaccumulative potential**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 5 of 6

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Remove according to the regulations.

**List of Wastes Code - residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Special Provisions: 144 601  
Limited quantity: 1 L  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

**Other applicable information (land transport)**

E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Special Provisions: 144  
Limited quantity: 3 L  
EmS: F-E, S-D

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Activator**

Revision date: 13.04.2016

Product code: 6125

Page 6 of 6

**Other applicable information (marine transport)**

E2

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1170
<b>14.2. UN proper shipping name:</b>	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3



Special Provisions:	A3	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:		353
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

**Other applicable information (air transport)**

E2

: Y341

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

**National regulatory information****SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Vitique Silane\_Adhesive

Revision date: 13.04.2016

Product code: 6126

Page 1 of 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Vitique Silane\_Adhesive

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

This substance is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

Signal word: Warning

##### Precautionary statements

P337+P313	If eye irritation persists: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of water.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

##### Chemical characterization

METHACRYLOYL PROPYLTRIMETHOXYSILANE (100%)  
CAS: 2530-85-0

##### Hazardous components

none (according to Regulation (EC) No 1907/2006 (REACH))

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

##### After contact with skin

After contact with skin, wash immediately with: Water and soap.

##### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

##### After ingestion

Call a physician immediately.

### SECTION 5: Firefighting measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Adhesive**

Revision date: 13.04.2016

Product code: 6126

Page 2 of 4

**5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO<sub>2</sub>).**Unsuitable extinguishing media**

High power water jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Wear suitable protective clothing. Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Take up mechanically.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

**Advice on general occupational hygiene**

When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation of the storage area.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Adhesive**

Revision date: 13.04.2016

Product code: 6126

Page 3 of 4

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless - yellow
Odour:	characteristic
Boiling point or initial boiling point and boiling range:	250 °C
Flash point:	110 °C
Water solubility:	not miscible
Density:	1.04 g/cm <sup>3</sup>
Relative vapour density:	> 1

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

heat.

**10.5. Incompatible materials**

Keep away from strong acids, leachates, heavy metal salts and reducing materials.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

Decomposition under formation of: Methanol.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

LD50: (Rat): &gt; 5000 mg/kg

Frequently or prolonged contact with skin may cause dermal irritation.

**Irritation and corrosivity**

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

**Sensitising effects**

May cause sensitization by skin contact.

**Additional information on tests**

May produce an allergic reaction.

**SECTION 12: Ecological information****12.1. Toxicity**

Aquatotoxicity:

LC50: (Brachydanio rerio): &gt; 1024 mg/l/96h

**12.2. Persistence and degradability**

Product is partially biodegradable.

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**Further information**

Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Silane\_Adhesive**

Revision date: 13.04.2016

Product code: 6126

Page 4 of 4

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

**List of Wastes Code - residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**SECTION 14: Transport information****Other applicable information**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information****Further Information**

-



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Cement**

Revision date: 15.04.2021

Product code: 1040

Page 1 of 5

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Vitique Cement

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Uses advised against**

pregnant or breastfeeding people should not work with hazardous substances

**1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye damage.

May cause an allergic skin reaction.

**2.2. Label elements****Regulation (EC) No 1272/2008**

Signal word: Danger

Pictograms:

**Hazard statements**

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

**Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Cement**

Revision date: 15.04.2021

Product code: 1040

Page 2 of 5

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1565-94-2	Bis-GMA			25 - 35 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1565-94-2		Bis-GMA	25 - 35 %
	oral: LD50 = 5000 mg/kg		

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Call a physician immediately.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO<sub>2</sub>).**Unsuitable extinguishing media**

High power water jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Wear suitable protective clothing.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Take up mechanically.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Cement**

Revision date: 15.04.2021

Product code: 1040

Page 3 of 5

**Advice on general occupational hygiene**

Take off immediately all contaminated clothing. When using do not eat or drink.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Paste	
Colour:	yellow	
Odour:	like: ester	
Boiling point or initial boiling point and boiling range:		>200 °C
Decomposition temperature:		>60 °C
pH-Value:		2.5
Water solubility: (at 20 °C)		5% g/L
Vapour pressure: (at 20 °C)		1 hPa
Density:		1.9 g/cm <sup>3</sup>
Relative vapour density:		> 1

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

heat. Light.

Decomposition takes place from temperatures above: 60 °C

**10.5. Incompatible materials**

radical former. Keep away from strong acids, leachates, heavy metal salts and reducing materials.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Gas / vapours, irritant. (Acrylate., pungent)

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Cement**

Revision date: 15.04.2021

Product code: 1040

Page 4 of 5

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****ATEmix tested**

	Dose	Species	Source
LD50, oral	> 10000 mg/kg	Rat	calculated.

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1565-94-2	Bis-GMA				
	oral	LD50 mg/kg	5000	Rat	literature value

**Irritation and corrosivity**

Irritant effect on the eye: strongly irritant. Risk of serious damage to eyes.

**Sensitising effects**

May cause sensitization by skin contact.

**Carcinogenic/mutagenic/toxic effects for reproduction**

No data available

**STOT-repeated exposure**

No data available

**Additional information on tests**

Contains Methacrylic esters.: May produce an allergic reaction.

**SECTION 12: Ecological information****12.2. Persistence and degradability**Do not allow to enter into surface water or drains. Leakage into the environment must be prevented.  
Preparation not tested.**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

**List of Wastes Code - residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

**SECTION 14: Transport information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Cement**

Revision date: 15.04.2021

Product code: 1040

Page 5 of 5

**Other applicable information**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Further Information**

-

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Try-In**

Revision date: 26.09.2019

Product code: 1065

Page 1 of 5

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Vitique Try-In

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH		
Street:	Elbgaustraße 248		
Place:	D-22547 Hamburg		
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222	
e-mail:	info@dmg-dental.com		
Internet:	www.dmg-dental.com		

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

**2.2. Label elements****2.3. Other hazards**

none

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

mixture of polyethylene glycol and glass filler

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1565-94-2	Bis-GMA			< 1 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1565-94-2		Bis-GMA	< 1 %
		oral: LD50 = 5000 mg/kg	

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing.

**After contact with eyes**

Rinse cautiously with water for several minutes.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Try-In**

Revision date: 26.09.2019

Product code: 1065

Page 2 of 5

**After ingestion**

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

slightly irritant but not relevant for classification.

**4.3. Indication of any immediate medical attention and special treatment needed**

No information available.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water , Carbon dioxide (CO2) , Foam , Extinguishing powder

**Unsuitable extinguishing media**

none

**5.2. Special hazards arising from the substance or mixture**

Combustible substance

Vapours are heavier than air.

Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Do not allow run-off from fire-fighting to enter drains or water courses.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

For non-emergency personnel : Do not breathe vapour/aerosol.

Provide adequate ventilation. , Evacuate area.

To follow: Emergency procedures

For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****Other information**

Cover drains. .

**6.4. Reference to other sections**

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Further information on handling**

Follow the instructions for use on the label.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Follow the instructions for use on the label.

**SECTION 8: Exposure controls/personal protection**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Try-In**

Revision date: 26.09.2019

Product code: 1065

Page 3 of 5

**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
1309-37-1	Rouge, respirable dust	-	4		TWA (8 h)	
13463-67-7	Titanium dioxide, total inhalable dust	-	10		TWA (8 h)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEL, long-term		inhalation	systemic	3,5 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Environmental compartment		
Freshwater		0,000199 mg/l
Freshwater (intermittent releases)		0,00199 mg/l
Marine water		0,000199 mg/l
Freshwater sediment		0,0996 mg/kg
Marine sediment		0,00996 mg/kg
Soil		0,04769 mg/kg

**8.2. Exposure controls****Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear suitable gloves and eye/face protection.

**Hand protection**

Wear suitable gloves and eye/face protection.

**Environmental exposure controls**

Do not empty into drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: liquid: Paste

Colour:

Boiling point or initial boiling point and boiling range:

&gt; 200 °C

**SECTION 10: Stability and reactivity****10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No information available.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Try-In**

Revision date: 26.09.2019

Product code: 1065

Page 4 of 5

**10.4. Conditions to avoid**

Keep away from heat.

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No information available.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****ATEmix tested**

	Dose	Species	Source
LD50, oral	8800 mg/kg	rattus	ATE mix., calculated

**Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
1565-94-2	Bis-GMA					
	oral	LD50 mg/kg	5000	Rat	literature value	

**SECTION 12: Ecological information****12.2. Persistence and degradability**

Readily biodegradable (according to OECD criteria).

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. ( National regulations )

**SECTION 14: Transport information****Land transport (ADR/RID)****Other applicable information (land transport)**

No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Vitique Try-In**

Revision date: 26.09.2019

Product code: 1065

Page 5 of 5

**Other applicable information (inland waterways transport)**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)****Other applicable information (marine transport)**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)****Other applicable information (air transport)**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Additional information**

For this substance a chemical safety assessment has not been carried out.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*